1/14




FIG. 1




FIG. 2

2/14




FIG. 3




FIG. 4




FIG. 5

4/14

Sto Fra						tart ame
Display			display IO frame	display B1 frame	display B2 frame	display P3 frame
VDE	decode IO frame	decode P3 frame	decode B1 frame	decode B2 frame	decode P6 frame	decode B4 frame
Host (Software) Driver	P3 Program	B1 Program	B2 Program	P6 Program	B4 Program	B5 Program

FIG. 6

Sto Fra						tart ame
Display			display IO frame	no display B1 frame	display B2 frame	display P3 frame
VDE	decode IO frame	decode P3 frame	decode B1 frame abandon B1 frame	decode B2 frame	decode P6 frame	decode B4 frame
Host (Software) Driver	P3 Program	B1 Program	B2 Program	P6 Program	B4 Program	

FIG. 7




FIG. 9

6/14





FIG. 10

1 hagin				
1 begin				
		end 1 2 begin		
end 2	3 begin	end 3 4 begi	n	
		•		
	end 4 5 begin			
			end 5	
6 begin				
		end 6 7 begi	n	
end 7 8	8 9 begin	end 9 10 begin		
			end 10	

FIG. 11







FIG. 13A



9/14




FIG. 14A

DY CLASS SUBCLASS





FIG. 14B



LULASS [SUBULASS]

PRAFTSMAN




FIG. 14D




FIG. 14E

PRANTSHAN 3.3

